

Supplementary Table S4.

Data extracted for the “Anatomical site involved” domain and its variables, derived from 138 papers.

Anatomical site involved	N ° papers	References	N° Patients	References	COMMENTS/DETAILS
HEART SIZE	54	(1-53)	247 / 1289 (19 %)	from 26 papers (1, 2, 4, 16, 17, 24-27, 29, 33-35, 39, 40, 42-48, 51-53)	Increased heart weight in 1 patient (4) Enlarged cardiac shadow in 31 pts (16, 17) Increased Cardio-thoracic ratio in 35 patients (24-26, 29) Cardiomegaly in 29 patients (39, 40, 51)
LEFT ATRIUM (LA)	40	(5, 7-9, 11, 13-15, 18, 21, 23, 26-28, 30, 32-34, 41, 43, 45, 48-64)	129 / 1090 (12 %)	from 14 papers (5, 9, 26, 27, 41, 43, 45, 48, 50-53, 62, 63)	Enlarged LA in 11 patients (27)
LEFT VENTRICLE (LV)	91	(1-28, 30-36, 38, 42-45, 47, 48, 50-54, 57-63, 65-101)	1140 / 10571 (11 %)	from 52 papers (1, 2, 4, 5, 17, 24-27, 31, 33-36, 42-45, 47, 48, 50-53, 61-63, 66, 68-71, 74, 75, 78-81, 83, 86-88, 90, 93-95, 97-99, 101)	LV/RV Hypertrophy in 36 patients (1) LV/RV dilation in 39 patients (35, 42) LV Hypertrophy in 42 patients (2, 43-45) LV enlargement in 24 patients (47)
RIGHT ATRIUM (RA)	14	(4, 8, 11, 18, 21, 28, 30, 32, 45, 60, 63, 80, 102, 103)	22 / 96 (23 %)	from 2 papers (45, 63)	
RIGHT VENTRICLE (RV)	50	(1, 7, 8, 10-13, 15-22, 25-28, 30, 32, 35-38, 40-43, 46, 48, 50-52, 55, 57, 60, 61, 70, 72, 76-78, 80, 81, 86, 94, 100, 104)	262 / 1340 (20 %)	from 26 papers (1, 25-28, 30, 35, 40-43, 46, 48, 50-52, 61, 70, 77, 78, 80, 81, 86, 94, 104)	LV/RV Hypertrophy in 36 patients (1) LV/RV dilation in 39 patients (35, 42)

INTERVENTRICULAR SEPTUM	33	(3, 13, 16, 18, 19, 22, 23, 27, 28, 30, 32-35, 44, 46, 48, 51-54, 59-61, 67, 69, 74, 75, 80, 82, 86, 91, 101)	112 / 1061 (11 %)	from 12 papers (30, 44, 46, 48, 51, 52, 61, 69, 74, 86, 91)	
VALVES	41	(1, 6, 9, 12, 13, 16, 18, 21, 22, 26-29, 32-34, 37, 40, 41, 43, 48, 50, 51, 53, 60-64, 70, 74, 75, 80, 82, 88, 90, 95, 96, 105-109)	386 / 1051 (37 %)	from 22 papers (1, 9, 22, 27, 29, 40, 43, 48, 50, 51, 61-63, 70, 88, 90, 95, 96, 105, 107- 109)	
Mitral Valve	34	(9, 12, 13, 16, 18, 22, 26, 28, 29, 32, 33, 40, 41, 43, 48, 51, 53, 60-63, 70, 74, 75, 80, 82, 88, 95, 105-108, 110, 111)	339 / 1529 (22 %)	from 25 papers (9, 16, 18, 22, 26, 29, 40, 41, 43, 48, 51, 62, 63, 70, 74, 75, 82, 88, 95, 105-108, 110, 111)	
Tricuspid Valve	23	(12, 13, 16, 21, 27- 29, 32, 37, 40, 43, 48, 60, 61, 70, 80, 82, 88, 95, 105, 109-111)	269 / 860 (31 %)	from 17 papers (16, 21, 27, 29, 40, 43, 48, 61, 70, 80, 82, 88, 95, 105, 109- 111)	
Pulmonary Valve	12	(12, 13, 26-29, 37, 43, 60, 80, 82, 111)	12 / 326 (4 %)	from 5 papers (26, 27, 29, 43, 111)	
Aortic Valve	26	(9, 12, 13, 18, 22, 26-29, 32, 34, 40, 43, 48, 60, 62, 70, 74, 80, 82, 88, 105- 107, 111)	132 / 1194 (11 %)	from 16 papers (9, 18, 22, 26, 29, 40, 43, 48, 62, 70, 74, 88, 105-107, 111)	
CORONARY VESSELS					
Epicardial	13	(1, 2, 4, 6, 32, 48, 50, 63, 78, 79, 105, 112, 113)	43 / 177 (37%)	from 6 papers (1, 2, 48, 63, 78, 105)	

Intramural	15	(1, 32, 45, 50, 60, 67, 77-79, 84, 85, 112-115)	98 / 338 (29 %)	from 10 papers (45, 60, 77-79, 84, 85, 112, 114, 115)	
SINUS-ATRIAL NODE	14	(1, 12, 13, 29, 32, 43, 75, 108, 109, 116-120)	228 / 726 (31 %)	from 10 papers (1, 13, 75, 108, 109, 116-120)	
atrium-ventricular node	18	(1, 9, 12, 13, 25, 29, 32, 39, 43, 45, 48, 75, 79, 117, 119, 121)	129 / 720 (18 %)	from 13 papers (9, 13, 25, 29, 39, 43, 45, 48, 75, 79, 117, 119, 121)	
CONDUCTION SYSTEM	48	(1, 8, 9, 11-13, 16, 17, 23, 24, 26, 29, 31, 32, 39, 41, 44-48, 50, 51, 61, 63, 71, 72, 74, 75, 77, 79, 82, 86, 89, 93, 96, 101, 109, 112, 114, 118-125)	683 / 2734 (25 %)	from 42 papers (1, 9, 11, 13, 16, 17, 24, 26, 29, 31, 39, 41, 44-48, 50, 61, 63, 71, 72, 74, 75, 77, 79, 82, 89, 93, 96, 101, 109, 112, 114, 118-125)	
EPICARDIUM	8	(1, 28, 32, 41, 60, 91, 97, 126)	26 / 230 (11 %)	from 3 papers (41, 91, 97)	
ENDOCARDIUM	8	(28, 32, 41, 60, 84, 86, 91, 126)	18 / 331 (5 %)	from 5 papers (41, 84, 86, 91, 126)	
MYOCARDIUM	43	(1, 4, 20, 28, 32, 35, 41-45, 47-50, 60, 62, 71, 72, 76, 81, 84-86, 88, 89, 91, 96-98, 101, 105, 110, 115, 122, 125-132)	548 / 1999 (27 %)	from 35 papers (1, 35, 41, 43-45, 47, 48, 50, 62, 71, 72, 76, 81, 84-86, 88, 91, 96-98, 101, 110, 115, 122, 125, 126, 128-132)	
PERICARDIUM	62	(1, 9, 12, 13, 16-18, 22, 26-29, 31, 32, 35, 39-43, 45, 46, 48, 51, 52, 60-62, 70, 71, 74, 75, 77, 78, 80-82, 86, 89-	511 / 3216 (16 %)	from 53 papers (1, 9, 13, 16-18, 26, 27, 29, 31, 35, 39-43, 45, 46, 48, 51, 52, 61, 62, 70, 71,	

	91, 94, 96, 105-108, 110-112, 114, 116, 123, 125, 126, 131, 133-138)		74, 75, 77, 78, 81, 82, 86, 89- 91, 94, 96, 106- 108, 110-112, 114, 123, 125, 126, 131, 134- 138)	
--	---	--	---	--

## References

1. Bulkley BH, Ridolfi RL, Salyer WR, Hutchins GM. Myocardial lesions of progressive systemic sclerosis. A cause of cardiac dysfunction. *Circulation.* 1976;53(3):483-90.
2. Derk CT, Jimenez SA. Acute myocardial infarction in systemic sclerosis patients: a case series. *Clin Rheumatol.* 2007;26(6):965-8.
3. Montisci R, Ruscazio M, Lai S, Vacca A, Cauli A, Passiu G, et al. Effect of a single IV administration of L-propionylcarnitine on myocardial microcirculation assessed by coronary flow velocity reserve measurement in patients with systemic sclerosis: a pilot study. *Clin Ther.* 2007;29(1):163-71.
4. Sandmeier B, Jager VK, Nagy G, Carreira PE, Tzankov A, Widuchowska M, et al. Autopsy versus clinical findings in patients with systemic sclerosis in a case series from patients of the EUSTAR database. *Clin Exp Rheumatol.* 2015;33(4 Suppl 91):S75-9.
5. de Groote P, Gressin V, Hachulla E, Carpentier P, Guillevin L, Kahan A, et al. Evaluation of cardiac abnormalities by Doppler echocardiography in a large nationwide multicentric cohort of patients with systemic sclerosis. *Ann Rheum Dis.* 2008;67(1):31-6.
6. Aguglia G, Sgreccia A, Bernardo ML, Carmenini E, Giusti De Marle M, Reali A, et al. Left ventricular diastolic function in systemic sclerosis. *J Rheumatol.* 2001;28(7):1563-7.
7. Ayman AA, Alashry SE. Tissue Doppler assessment of right ventricular function in female patients with limited form of systemic sclerosis. *The Egyptian Heart Journal.* 2013;65:191-7.
8. Aktoz M, Yilmaztepe M, Tatli E, Turan FN, Umit EG, Altun A. Assessment of ventricular and left atrial mechanical functions, atrial electromechanical delay and P wave dispersion in patients with scleroderma. *Cardiol J.* 2011;18(3):261-9.
9. Armstrong GP, Whalley GA, Doughty RN, Gamble GD, Flett SM, Tan PL, et al. Left ventricular function in scleroderma. *Br J Rheumatol.* 1996;35(10):983-8.
10. Barison A, Gargani L, De Marchi D, Aquaro GD, Guiducci S, Picano E, et al. Early myocardial and skeletal muscle interstitial remodelling in systemic sclerosis: insights from extracellular volume quantification using cardiovascular magnetic resonance. *Eur Heart J Cardiovasc Imaging.* 2015;16(1):74-80.
11. Bayar N, Cay HF, Erkal Z, Sezer I, Arslan S, Cagirci G, et al. The importance of fragmented QRS in the early detection of cardiac involvement in patients with systemic sclerosis. *Anatol J Cardiol.* 2015;15(3):209-12.
12. Bezante GP, Rollando D, Sessarego M, Panico N, Setti M, Filaci G, et al. Cardiac magnetic resonance imaging detects subclinical right ventricular impairment in systemic sclerosis. *J Rheumatol.* 2007;34(12):2431-7.
13. Butrous GS, Dowd PM, Milne J, Dymond DS, Caplin J, Camm AJ. Non-invasive assessment of early cardiac involvement in systemic sclerosis. *Postgrad Med J.* 1985;61(718):679-84.
14. Cadeddu C, Deidda M, Giau G, Lilliu M, Cadeddu F, Binaghi G, et al. Contractile reserve in systemic sclerosis patients as a major predictor of global cardiac impairment and exercise tolerance. *Int J Cardiovasc Imaging.* 2015;31(3):529-36.
15. Can I, Onat AM, Aytemir K, Akdogan A, Ureten K, Kiraz S, et al. Detecting subclinical biventricular impairment in scleroderma patients by use of pulsed-wave tissue Doppler imaging. *Tex Heart Inst J.* 2009;36(1):31-7.
16. Candell-Riera J, Armadans-Gil L, Simeon CP, Castell-Conesa J, Fonollosa-Pla V, Garcia-del-Castillo H, et al. Comprehensive noninvasive assessment of cardiac involvement in limited systemic sclerosis. *Arthritis Rheum.* 1996;39(7):1138-45.
17. Clements PJ, Lachenbruch PA, Furst DE, Paulus HE, Sterz MG. Cardiac score. A semiquantitative measure of cardiac involvement that improves prediction of prognosis in systemic sclerosis. *Arthritis Rheum.* 1991;34(11):1371-80.
18. D'Alto M, Cuomo G, Romeo E, Argiento P, Iudici M, Vettori S, et al. Tissue Doppler imaging in systemic sclerosis: a 3-year longitudinal study. *Semin Arthritis Rheum.* 2014;43(5):673-80.
19. D'Andrea A, Stisi S, Bellissimo S, Vigorito F, Scotto di Uccio F, Tozzi N, et al. Early impairment of myocardial function in systemic sclerosis: non-invasive assessment by Doppler myocardial and strain rate imaging. *Eur J Echocardiogr.* 2005;6(6):407-18.

20. Di Bello V, Ferri C, Giorgi D, Bianchi M, Bertini A, Martini A, et al. Ultrasonic videodensitometric analysis in scleroderma heart disease. *Coron Artery Dis.* 1999;10(2):103-10.
21. Durmus E, Sunbul M, Tigen K, Kivrak T, Ozen G, Sari I, et al. Right ventricular and atrial functions in systemic sclerosis patients without pulmonary hypertension. Speckle-tracking echocardiographic study. *Herz.* 2015;40(4):709-15.
22. Fernandes F, Ramires FJ, Arteaga E, Ianni BM, Bonfa ES, Mady C. Cardiac remodeling in patients with systemic sclerosis with no signs or symptoms of heart failure: an endomyocardial biopsy study. *J Card Fail.* 2003;9(4):311-7.
23. Ferri C, Di Bello V, Martini A, Giorgi D, Storino FA, Bianchi M, et al. Heart involvement in systemic sclerosis: an ultrasonic tissue characterisation study. *Ann Rheum Dis.* 1998;57(5):296-302.
24. Foocharoen C, Pussadhamma B, Mahakanukrauh A, Suwannaroj S, Nanagara R. Asymptomatic cardiac involvement in Thai systemic sclerosis: prevalence and clinical correlations with non-cardiac manifestations (preliminary report). *Rheumatology (Oxford).* 2015;54(9):1616-21.
25. Gaffney FA, Anderson RJ, Nixon JV, Blomqvist CG. Cardiovascular function in patients with progressive systemic sclerosis (scleroderma). *Clin Cardiol.* 1982;5(11):569-76.
26. Gottdiener JS, Moutsopoulos HM, Decker JL. Echocardiographic identification of cardiac abnormality in scleroderma and related disorders. *Am J Med.* 1979;66(3):391-8.
27. Hegedus I, Czirjak L. Left ventricular wall thickness and disease duration in systemic sclerosis. *Postgrad Med J.* 1993;69(810):285-90.
28. Hsiao SH, Lee CY, Chang SM, Lin SK, Liu CP. Right heart function in scleroderma: insights from myocardial Doppler tissue imaging. *J Am Soc Echocardiogr.* 2006;19(5):507-14.
29. Jinnin M, Ihn H, Asano Y, Yamane K, Yazawa N, Tamaki K. Retrospective study of clinical and laboratory features in Japanese scleroderma patients with cardiac involvement. *J Dermatol Sci.* 2009;55(1):70-2.
30. Jurisic Z, Martinovic-Kaliterna D, Marasovic-Krstulovic D, Perkovic D, Tandara L, Salamunic I, et al. Relationship between interleukin-6 and cardiac involvement in systemic sclerosis. *Rheumatology (Oxford).* 2013;52(7):1298-302.
31. Kahan A, Devaux JY, Amor B, Menkes CJ, Weber S, Guerin F, et al. Pharmacodynamic effect of nicardipine on left ventricular function in systemic sclerosis. *J Cardiovasc Pharmacol.* 1990;15(2):249-53.
32. Kepez A, Akdogan A, Sade LE, Deniz A, Kalyoncu U, Karadag O, et al. Detection of subclinical cardiac involvement in systemic sclerosis by echocardiographic strain imaging. *Echocardiography.* 2008;25(2):191-7.
33. Kazzam E, Caidahl K, Hllgren R, Gustafsson R, Waldenstrom A. Non-invasive evaluation of long-term cardiac effects of captopril in systemic sclerosis. *J Intern Med.* 1991;230(3):203-12.
34. Kazzam E, Waldenstrom A, Hedner T, Hedner J, Caidahl K. Endothelin may be pathogenic in systemic sclerosis of the heart. *Int J Cardiol.* 1997;60(1):31-9.
35. Krumm P, Mueller KA, Klingel K, Kramer U, Horger MS, Zitzelsberger T, et al. Cardiovascular magnetic resonance patterns of biopsy proven cardiac involvement in systemic sclerosis. *J Cardiovasc Magn Reson.* 2016;18(1):70.
36. Othman KM, Assaf NY, Farouk HM, Aly Hassan IM. Autonomic dysfunction predicts early cardiac affection in patients with systemic sclerosis. *Clin Med Insights Arthritis Musculoskelet Disord.* 2010;3:43-54.
37. Pigatto E, Peluso D, Zanatta E, Polito P, Miatton P, Bourji K, et al. Evaluation of right ventricular function performed by 3D-echocardiography in scleroderma patients. *Reumatismo.* 2015;66(4):259-63.
38. Poanta L, Dadu R, Tiboc C, Rednic S, Dumitrascu D. Systolic and diastolic function in patients with systemic sclerosis. *Eur J Intern Med.* 2009;20(4):378-82.
39. Poormoghim H, Poorkarim MA, Lakeh MM, Heshmati BN, Almasi S, Hakim M. Preliminary study of cardiovascular manifestations and cardiac severity scale in 58 patients with systemic sclerosis in iran using the medsgre scale. *J Tehran Heart Cent.* 2010;5(1):14-8.
40. Arakkal G, Chintagunta SR, Chandika V, Damarla SV, Manchala S, Kumar BU. Cardio-pulmonary involvement in systemic sclerosis: A study at a tertiary care center. *Indian J Dermatol Venereol Leprol.* 2017;83(6):677-82.

41. Muresan L, Oancea I, Mada RO, Petcu A, Pamfil C, Muresan C, et al. Relationship Between Ventricular Arrhythmias, Conduction Disorders, and Myocardial Fibrosis in Patients With Systemic Sclerosis. *J Clin Rheumatol.* 2018;24(1):25-33.
42. Chaosuwanakit N, Makarawate P. Value of cardiac magnetic resonance imaging in systemic sclerosis. *Reumatologia.* 2018;56(2):92-8.
43. Muresan L, Petcu A, Pamfil C, Muresan C, Rinzis M, Mada RO, et al. Cardiovascular profiles of scleroderma patients with arrhythmias and conduction disorders. *Acta Reumatol Port.* 2016;41(1):26-39.
44. Nordin A, Bjornadal L, Larsson A, Svenungsson E, Jensen-Urstad K. Electrocardiography in 110 patients with systemic sclerosis: a cross-sectional comparison with population-based controls. *Scand J Rheumatol.* 2014;43(3):221-5.
45. Morelli S, Sgreccia A, Ferrante L, Barbieri C, Bernardo ML, Perrone C, et al. Relationships between electrocardiographic and echocardiographic findings in systemic sclerosis (scleroderma). *Int J Cardiol.* 1996;57(2):151-60.
46. Follansbee WP, Curtiss EI, Rahko PS, Medsger TA, Jr., Lavine SJ, Owens GR, et al. The electrocardiogram in systemic sclerosis (scleroderma). Study of 102 consecutive cases with functional correlations and review of the literature. *Am J Med.* 1985;79(2):183-92.
47. De Luca G, Bosello SL, Gabrielli FA, Berardi G, Parisi F, Rucco M, et al. Prognostic Role of Ventricular Ectopic Beats in Systemic Sclerosis: A Prospective Cohort Study Shows ECG Indexes Predicting the Worse Outcome. *PLoS One.* 2016;11(4):e0153012.
48. Bernardo P, Conforti ML, Bellando-Randone S, Pieragnoli P, Blagojevic J, Kaloudi O, et al. Implantable cardioverter defibrillator prevents sudden cardiac death in systemic sclerosis. *J Rheumatol.* 2011;38(8):1617-21.
49. Thuny F, Lovric D, Schnell F, Bergerot C, Ernande L, Cottin V, et al. Quantification of myocardial extracellular volume fraction with cardiac MR imaging for early detection of left ventricle involvement in systemic sclerosis. *Radiology.* 2014;271(2):373-80.
50. Suzuki T, Ogasawara S, Ohsako-Higami S, Fukasawa C, Hara M, Kamatani N. Dipyridamole stress thallium perfusion scan for evaluating myocardial involvement in systemic sclerosis. *Mod Rheumatol.* 2001;11(3):210-6.
51. Smith JW, Clements PJ, Levisman J, Furst D, Ross M. Echocardiographic features of progressive systemic sclerosis (PSS). Correlation with hemodynamic and postmortem studies. *Am J Med.* 1979;66(1):28-33.
52. Siegel RJ, O'Connor B, Mena I, Criley JM. Left ventricular function at rest and during Raynaud's phenomenon in patients with scleroderma. *Am Heart J.* 1984;108(6):1469-76.
53. Kazzam E, Caidahl K, Hedner T, Hedner J, Waldenstrom A. Atrial natriuretic peptide: relation to left ventricular filling properties in patients with systemic sclerosis. *Int J Cardiol.* 1994;47(2):151-6.
54. Lee SW, Choi EY, Jung SY, Choi ST, Lee SK, Park YB. E/E' ratio is more sensitive than E/A ratio for detection of left ventricular diastolic dysfunction in patients with systemic sclerosis. *Clin Exp Rheumatol.* 2010;28(2 Suppl 58):S12-7.
55. Dimitroulas T, Giannakoulas G, Papadopoulou K, Karvounis H, Dimitroula H, Koliakos G, et al. Early detection of cardiac involvement in systemic sclerosis assessed by tissue-Doppler echocardiography: relationship with neurohormonal activation and endothelial dysfunction. *J Rheumatol.* 2010;37(5):993-9.
56. Agoston G, Gargani L, Miglioranza MH, Caputo M, Badano LP, Moreo A, et al. Left atrial dysfunction detected by speckle tracking in patients with systemic sclerosis. *Cardiovasc Ultrasound.* 2014;12:30.
57. Ciurzynski M, Bienias P, Irzyk K, Kostrubiec M, Szewczyk A, Demkow U, et al. Heart diastolic dysfunction in patients with systemic sclerosis. *Arch Med Sci.* 2014;10(3):445-54.
58. Faludi R, Kolto G, Bartos B, Csima G, Czirjak L, Komocsi A. Five-year follow-up of left ventricular diastolic function in systemic sclerosis patients: determinants of mortality and disease progression. *Semin Arthritis Rheum.* 2014;44(2):220-7.
59. Geirsson AJ, Danielsen R, Petursson E. Left ventricular myocardial perfusion and function in systemic sclerosis before and after diltiazem treatment. *Scand J Rheumatol.* 1996;25(5):317-20.
60. Giacomelli R, Di Cesare E, Cipriani P, Ruscitti P, Di Sibio A, Liakouli V, et al. Pharmacological stress, rest perfusion and delayed enhancement cardiac magnetic resonance identifies very early cardiac involvement in systemic sclerosis patients of recent onset. *Int J Rheum Dis.* 2017;20(9):1247-60.

61. Henein MY, Cailes J, O'Sullivan C, du Bois RM, Gibson DG. Abnormal ventricular long-axis function in systemic sclerosis. *Chest*. 1995;108(6):1533-40.
62. Maione S, Valentini G, Giunta A, Migliaresi S, Itri F, Picillo U, et al. Evaluation of cardiac structures and function in systemic sclerosis by Doppler echocardiography. *Cardiology*. 1991;79(3):165-71.
63. Sergiacomi G, De Nardo D, Capria A, Manenti G, Fabiano S, Borzi M, et al. Non-invasive diagnostic and functional evaluation of cardiac and pulmonary involvement in systemic sclerosis. *In Vivo*. 2004;18(2):229-35.
64. Porpaczy A, Nogradi A, Kehl D, Strenner M, Minier T, Czirjak L, et al. Impairment of Left Atrial Mechanics Is an Early Sign of Myocardial Involvement in Systemic Sclerosis. *J Card Fail*. 2018;24(4):234-42.
65. Antoniades L, Sfikakis PP, Mavrikakis M. Glucocorticoid effects on myocardial performance in patients with systemic sclerosis. *Clin Exp Rheumatol*. 2001;19(4):431-7.
66. Allanore Y, Meune C, Vonk MC, Airo P, Hachulla E, Caramaschi P, et al. Prevalence and factors associated with left ventricular dysfunction in the EULAR Scleroderma Trial and Research group (EUSTAR) database of patients with systemic sclerosis. *Ann Rheum Dis*. 2010;69(1):218-21.
67. Valentini G, Vitale DF, Giunta A, Maione S, Gerundo G, Arnese M, et al. Diastolic abnormalities in systemic sclerosis: evidence for associated defective cardiac functional reserve. *Ann Rheum Dis*. 1996;55(7):455-60.
68. Vemulapalli S, Cohen L, Hsu V. Prevalence and risk factors for left ventricular diastolic dysfunction in a scleroderma cohort. *Scand J Rheumatol*. 2017;46(4):281-7.
69. Alexander EL, Firestein GS, Weiss JL, Heuser RR, Leitl G, Wagner HN, Jr., et al. Reversible cold-induced abnormalities in myocardial perfusion and function in systemic sclerosis. *Ann Intern Med*. 1986;105(5):661-8.
70. Allanore Y, Wahbi K, Borderie D, Weber S, Kahan A, Meune C. N-terminal pro-brain natriuretic peptide in systemic sclerosis: a new cornerstone of cardiovascular assessment? *Ann Rheum Dis*. 2009;68(12):1885-9.
71. Chighizola C, Meroni PL, Schreiber BE, Coghlan JG, Denton CP, Ong VH. Role of N-terminal pro-brain natriuretic peptide in detecting clinically significant cardiac involvement in systemic sclerosis patients. *Clin Exp Rheumatol*. 2012;30(2 Suppl 71):S81-5.
72. Di Cesare E, Battisti S, Di Sibio A, Cipriani P, Giacomelli R, Liakouli V, et al. Early assessment of sub-clinical cardiac involvement in systemic sclerosis (SSc) using delayed enhancement cardiac magnetic resonance (CE-MRI). *Eur J Radiol*. 2013;82(6):e268-73.
73. Ellis WW, Baer AN, Robertson RM, Pincus T, Kronenberg MW. Left ventricular dysfunction induced by cold exposure in patients with systemic sclerosis. *Am J Med*. 1986;80(3):385-92.
74. Fernandez-Codina A, Simeon-Aznar CP, Pinal-Fernandez I, Rodriguez-Palomares J, Pizzi MN, Hidalgo CE, et al. Cardiac involvement in systemic sclerosis: differences between clinical subsets and influence on survival. *Rheumatol Int*. 2017;37(1):75-84.
75. Ferri C, Bernini L, Bongiorni MG, Levorato D, Viegi G, Bravi P, et al. Noninvasive evaluation of cardiac dysrhythmias, and their relationship with multisystemic symptoms, in progressive systemic sclerosis patients. *Arthritis Rheum*. 1985;28(11):1259-66.
76. Mueller KA, Mueller II, Eppler D, Zuern CS, Seizer P, Kramer U, et al. Clinical and histopathological features of patients with systemic sclerosis undergoing endomyocardial biopsy. *PLoS One*. 2015;10(5):e0126707.
77. Follansbee WP, Curtiss EI, Medsger TA, Jr., Owens GR, Steen VD, Rodnan GP. Myocardial function and perfusion in the CREST syndrome variant of progressive systemic sclerosis. Exercise radionuclide evaluation and comparison with diffuse scleroderma. *Am J Med*. 1984;77(3):489-96.
78. Follansbee WP, Curtiss EI, Medsger TA, Jr., Steen VD, Uretsky BF, Owens GR, et al. Physiologic abnormalities of cardiac function in progressive systemic sclerosis with diffuse scleroderma. *N Engl J Med*. 1984;310(3):142-8.
79. Follansbee WP, Zerbe TR, Medsger TA, Jr. Cardiac and skeletal muscle disease in systemic sclerosis (scleroderma): a high risk association. *Am Heart J*. 1993;125(1):194-203.
80. Giunta A, Tirri E, Maione S, Cangianello S, Mele A, De Luca A, et al. Right ventricular diastolic abnormalities in systemic sclerosis. Relation to left ventricular involvement and pulmonary hypertension. *Ann Rheum Dis*. 2000;59(2):94-8.

81. Hachulla AL, Launay D, Gaxotte V, de Groote P, Lamblin N, Devos P, et al. Cardiac magnetic resonance imaging in systemic sclerosis: a cross-sectional observational study of 52 patients. *Ann Rheum Dis.* 2009;68(12):1878-84.
82. Handa R, Gupta K, Malhotra A, Jain P, Kamath PK, Aggarwal P, et al. Cardiac involvement in limited systemic sclerosis: non-invasive assessment in asymptomatic patients. *Clin Rheumatol.* 1999;18(2):136-9.
83. Hinchcliff M, Desai CS, Varga J, Shah SJ. Prevalence, prognosis, and factors associated with left ventricular diastolic dysfunction in systemic sclerosis. *Clin Exp Rheumatol.* 2012;30(2 Suppl 71):S30-7.
84. Kobayashi H, Yokoe I, Hirano M, Nakamura T, Nakajima Y, Fontaine KR, et al. Cardiac magnetic resonance imaging with pharmacological stress perfusion and delayed enhancement in asymptomatic patients with systemic sclerosis. *J Rheumatol.* 2009;36(1):106-12.
85. Kobayashi Y, Kobayashi H, J TG, Yokoe I, Hirano M, Nakajima Y, et al. Detection of Left Ventricular Regional Dysfunction and Myocardial Abnormalities Using Complementary Cardiac Magnetic Resonance Imaging in Patients with Systemic Sclerosis without Cardiac Symptoms: A Pilot Study. *Intern Med.* 2016;55(3):237-43.
86. Gargani L, Todiere G, Guiducci S, Bruni C, Pingitore A, De Marchi D, et al. Early Detection of Cardiac Involvement in Systemic Sclerosis: The Added Value of Magnetic Resonance Imaging. *JACC Cardiovasc Imaging.* 2019;12(5):927-8.
87. Pace L, Capelli L, Bove E, Coppola N, Ciarmiello A, Sorrentino S, et al. Left ventricular diastolic function in systemic sclerosis: assessment by radionuclide angiography. *J Nucl Med.* 1992;33(1):68-72.
88. Papagoras C, Achenbach K, Tsifetaki N, Tsouris S, Fotopoulos A, Drosos AA. Heart involvement in systemic sclerosis: a combined echocardiographic and scintigraphic study. *Clin Rheumatol.* 2014;33(8):1105-11.
89. Rodriguez-Reyna TS, Morelos-Guzman M, Hernandez-Reyes P, Montero-Duarte K, Martinez-Reyes C, Reyes-Utrera C, et al. Assessment of myocardial fibrosis and microvascular damage in systemic sclerosis by magnetic resonance imaging and coronary angiotomography. *Rheumatology (Oxford).* 2015;54(4):647-54.
90. Rosato E, Maione S, Vitarelli A, Giunta A, Fontanella L, de Horatio LT, et al. Regional diastolic function by tissue Doppler echocardiography in systemic sclerosis: correlation with clinical variables. *Rheumatol Int.* 2009;29(8):913-9.
91. Meduri A, Di Molfetta DV, Natale L, Manfredi R. Cardiac magnetic resonance in systemic sclerosis patients with cardiac symptoms. *Eur Rev Med Pharmacol Sci.* 2017;21(21):4797-803.
92. Schattke S, Knebel F, Grohmann A, Dreger H, Kmezik F, Riemeckasten G, et al. Early right ventricular systolic dysfunction in patients with systemic sclerosis without pulmonary hypertension: a Doppler Tissue and Speckle Tracking echocardiography study. *Cardiovasc Ultrasound.* 2010;8:3.
93. Lee DC, Hinchcliff ME, Sarnari R, Stark MM, Lee J, Koloms K, et al. Diffuse cardiac fibrosis quantification in early systemic sclerosis by magnetic resonance imaging and correlation with skin fibrosis. *J Scleroderma Relat Disord.* 2018;3(2):159-69.
94. Kitchongcharoenying P, Foocharoen C, Mahakkanukrauh A, Suwannaroj S, Nanagara R. Pericardial fluid profiles of pericardial effusion in systemic sclerosis patients. *Asian Pac J Allergy Immunol.* 2013;31(4):314-9.
95. Shahin AA, Anwar S, Elawar AH, Sharaf AE, Hamid MA, Eleinin AA, et al. Circulating soluble adhesion molecules in patients with systemic sclerosis: correlation between circulating soluble vascular cell adhesion molecule-1 (sVCAM-1) and impaired left ventricular diastolic function. *Rheumatol Int.* 2000;20(1):21-4.
96. Schioppo T, Artusi C, Ciavarella T, Ingegnoli F, Murgo A, Zeni S, et al. N-TproBNP as biomarker in systemic sclerosis. *Clin Rev Allergy Immunol.* 2012;43(3):292-301.
97. Kolto G, Vuolteenaho O, Szokodi I, Faludi R, Tornyos A, Ruskoaho H, et al. Prognostic value of N-terminal natriuretic peptides in systemic sclerosis: a single centre study. *Clin Exp Rheumatol.* 2014;32(6 Suppl 86):S-75-81.
98. Mavrogeni S, Koutsogeorgopoulou L, Karabela G, Stavropoulos E, Katsifis G, Raftakis J, et al. Silent myocarditis in systemic sclerosis detected by cardiovascular magnetic resonance using Lake Louise criteria. *BMC Cardiovasc Disord.* 2017;17(1):187.

99. Vacca A, Montisci R, Cauli A, Garau P, Colonna P, Ruscazio M, et al. Evaluation of cardiac functional abnormalities in systemic sclerosis by dobutamine stress echocardiography: a myocardial echostress scleroderma pattern. *Ann Rheum Dis.* 2006;65(12):1669-70.
100. Dag S, Budulgan M, Dilek B, Batmaz I, Ariturk Z, Nas K, et al. Relation of asymmetric dimethylarginine and cardiac involvement in systemic sclerosis. *Acta Reumatol Port.* 2014;39(3):228-35.
101. Tzelepis GE, Kelekis NL, Plastiras SC, Mitseas P, Economopoulos N, Kampolis C, et al. Pattern and distribution of myocardial fibrosis in systemic sclerosis: a delayed enhanced magnetic resonance imaging study. *Arthritis Rheum.* 2007;56(11):3827-36.
102. Neskovic JS, Ristic A, Petronijevic M, Zeljkovic A, Grdinic A, Gudelj O, et al. B-type Natriuretic Peptide as a Marker of Different Forms of Systemic Sclerosis. *J Med Biochem.* 2018;37(4):406-14.
103. Nogradi A, Porpaczy A, Porcsa L, Minier T, Czirjak L, Komocsi A, et al. Relation of Right Atrial Mechanics to Functional Capacity in Patients With Systemic Sclerosis. *Am J Cardiol.* 2018;122(7):1249-54.
104. Banci M, Rinaldi E, lerardi M, Tiberio NS, Boccabella GL, Barbieri C, et al. 99mTc SESTAMIBI scintigraphic evaluation of skeletal muscle disease in patients with systemic sclerosis: diagnostic reliability and comparison with cardiac function and perfusion. *Angiology.* 1998;49(8):641-8.
105. D'Angelo WA, Fries JF, Masi AT, Shulman LE. Pathologic observations in systemic sclerosis (scleroderma). A study of fifty-eight autopsy cases and fifty-eight matched controls. *Am J Med.* 1969;46(3):428-40.
106. Maione S, Cuomo G, Giunta A, Tanturri de Horatio L, La Montagna G, Manguso F, et al. Echocardiographic alterations in systemic sclerosis: a longitudinal study. *Semin Arthritis Rheum.* 2005;34(5):721-7.
107. Meune C, Avouac J, Wahbi K, Cabanes L, Wipff J, Mounthon L, et al. Cardiac involvement in systemic sclerosis assessed by tissue-doppler echocardiography during routine care: A controlled study of 100 consecutive patients. *Arthritis Rheum.* 2008;58(6):1803-9.
108. Wranicz J, Zielinska M, Cygankiewicz I, Dziankowska-Bartkowiak B, Sysa-Jedrzejowska A. Early cardiovascular involvement in patients with systemic sclerosis (SSc). *Med Sci Monit.* 2002;8(2):CR78-82.
109. Bienias P, Ciurzynski M, Glinska-Wielochowska M, Korczak D, Kalinska-Bienias A, Glinski W, et al. Heart rate turbulence impairment and ventricular arrhythmias in patients with systemic sclerosis. *Pacing Clin Electrophysiol.* 2010;33(8):920-8.
110. Oram S, Stokes W. The heart in scleroderma. *Br Heart J.* 1961;23:243-59.
111. Thompson AE, Pope JE. A study of the frequency of pericardial and pleural effusions in scleroderma. *Br J Rheumatol.* 1998;37(12):1320-3.
112. Kahan A, Devaux JY, Amor B, Menkes CJ, Weber S, Foul J, et al. Pharmacodynamic effect of dipyridamole on thallium-201 myocardial perfusion in progressive systemic sclerosis with diffuse scleroderma. *Ann Rheum Dis.* 1986;45(9):718-25.
113. Vignaux O, Allanore Y, Meune C, Pascal O, Duboc D, Weber S, et al. Evaluation of the effect of nifedipine upon myocardial perfusion and contractility using cardiac magnetic resonance imaging and tissue Doppler echocardiography in systemic sclerosis. *Ann Rheum Dis.* 2005;64(9):1268-73.
114. Kahan A, Devaux JY, Amor B, Menkes CJ, Weber S, Nitenberg A, et al. Nifedipine and thallium-201 myocardial perfusion in progressive systemic sclerosis. *N Engl J Med.* 1986;314(22):1397-402.
115. Mavrogeni S, Karabela G, Koutsogeorgopoulou L, Stavropoulos E, Katsifis G, Plastiras SC, et al. Pseudo-infarction pattern in diffuse systemic sclerosis. Evaluation using cardiovascular magnetic resonance. *Int J Cardiol.* 2016;214:465-8.
116. Gurtner C, Werner RJ, Winten G, Krause BJ, Wendt T, Hor G, et al. Early diagnosis of cardiac involvement in systemic sclerosis by 123I-MIBG neurotransmitter scintigraphy. *Nucl Med Commun.* 1998;19(9):849-57.
117. Rokas S, Mavrikakis M, Agrios N, Mylonas D, Antoniadou L, Moulopoulos S. Electrophysiologic abnormalities of cardiac function in progressive systemic sclerosis. *J Electrocardiol.* 1996;29(1):17-25.
118. Ferri C, Emdin M, Giuggioli D, Carpegnani C, Maielli M, Varga A, et al. Autonomic dysfunction in systemic sclerosis: time and frequency domain 24 hour heart rate variability analysis. *Br J Rheumatol.* 1997;36(6):669-76.
119. Kostis JB, Seibold JR, Turkevich D, Masi AT, Grau RG, Medsger TA, Jr., et al. Prognostic importance of cardiac arrhythmias in systemic sclerosis. *Am J Med.* 1988;84(6):1007-15.

120. Draeger HT, Assassi S, Sharif R, Gonzalez EB, Harper BE, Arnett FC, et al. Right bundle branch block: a predictor of mortality in early systemic sclerosis. *PLoS One*. 2013;8(10):e78808.
121. Bielous-Wilk A, Poreba M, Staniszewska-Marszalek E, Poreba R, Podgorski M, Kalka D, et al. Electrocardiographic evaluation in patients with systemic scleroderma and without clinically evident heart disease. *Ann Noninvasive Electrocardiol*. 2009;14(3):251-7.
122. Steen VD, Follansbee WP, Conte CG, Medsger TA, Jr. Thallium perfusion defects predict subsequent cardiac dysfunction in patients with systemic sclerosis. *Arthritis Rheum*. 1996;39(4):677-81.
123. Barsotti S, Stagnaro C, D'Ascanio A, Parma A, Emdin M, Conti U, et al. Hgh sensitivity troponin might be a marker of subclinical scleroderma heart involvement: a preliminary study. *J scleroderma relat disord*. 2017;2(3):183-7.
124. Duska F, Bradna P, Novak J, Kubicek J, Vizda J, Kafka P, et al. Pyrophosphate heart scan in patients with progressive systemic sclerosis. *Br Heart J*. 1982;47(1):90-3.
125. Wangkaew S, Phiriyakrit P, Sawangduan V, Prasertwittayakij N, Euathrongchit J. Differences in clinical presentation and incidence of cardiopulmonary involvement in late-onset versus early-onset systemic sclerosis: inception cohort study. *Int J Rheum Dis*. 2018;21(5):1082-92.
126. Nassenstein K, Breuckmann F, Huger M, Ladd SC, Schlosser T, Kreuter A, et al. Detection of myocardial fibrosis in systemic sclerosis by contrast-enhanced magnetic resonance imaging. *Rofo*. 2008;180(12):1054-60.
127. Gaal J, Hegedus I, Devenyi K, Czirjak L. Myocardial gallium-67 citrate scintigraphy in patients with systemic sclerosis. *Ann Rheum Dis*. 1995;54(10):856-8.
128. Mavrogeni SI, Bratis K, Karabela G, Spiliotis G, Wijk K, Hautemann D, et al. Cardiovascular Magnetic Resonance Imaging clarifies cardiac pathophysiology in early, asymptomatic diffuse systemic sclerosis. *Inflamm Allergy Drug Targets*. 2015;14(1):29-36.
129. Ntusi NA, Piechnik SK, Francis JM, Ferreira VM, Rai AB, Matthews PM, et al. Subclinical myocardial inflammation and diffuse fibrosis are common in systemic sclerosis--a clinical study using myocardial T1-mapping and extracellular volume quantification. *J Cardiovasc Magn Reson*. 2014;16:21.
130. Hromadka M, Seidlerova J, Suchy D, Rajdl D, Lhotsky J, Ludvik J, et al. Myocardial fibrosis detected by magnetic resonance in systemic sclerosis patients - Relationship with biochemical and echocardiography parameters. *Int J Cardiol*. 2017;249:448-53.
131. Wangkaew S, Prasertwittayakij N, Phrommintikul A, Puntana S, Euathrongchit J. Causes of death, survival and risk factors of mortality in Thai patients with early systemic sclerosis: inception cohort study. *Rheumatol Int*. 2017;37(12):2087-94.
132. Gyllenhammar T, Kanski M, Engblom H, Wuttge DM, Carlsson M, Hesselstrand R, et al. Decreased global myocardial perfusion at adenosine stress as a potential new biomarker for microvascular disease in systemic sclerosis: a magnetic resonance study. *BMC Cardiovasc Disord*. 2018;18(1):16.
133. Meune C, Allanore Y, Devaux JY, Dessault O, Duboc D, Weber S, et al. High prevalence of right ventricular systolic dysfunction in early systemic sclerosis. *J Rheumatol*. 2004;31(10):1941-5.
134. Montanes P, Lawless C, Black C, Oakley CM, Hughes G. The heart in scleroderma: noninvasive assessment. *Clin Cardiol*. 1982;5(6):383-7.
135. Hosoya H, Derk CT. Clinically Symptomatic Pericardial Effusions in Hospitalized Systemic Sclerosis Patients: Demographics and Management. *Biomed Res Int*. 2018;2018:6812082.
136. Li X, Qian YQ, Liu N, Mu R, Zuo Y, Wang GC, et al. Survival rate, causes of death, and risk factors in systemic sclerosis: a large cohort study. *Clin Rheumatol*. 2018;37(11):3051-6.
137. Zairi I, Mzoughi K, Jnifene Z, Kamoun S, Jabeur M, Ben Moussa F, et al. Speckle tracking echocardiography in systemic sclerosis: A useful method for detection of myocardial involvement. *Ann Cardiol Angeiol (Paris)*. 2019;68(4):226-31.
138. Byers RJ, Marshall DA, Freemont AJ. Pericardial involvement in systemic sclerosis. *Ann Rheum Dis*. 1997;56(6):393-4.